


×  
neverdark  
smart fire



CATALOGUE

x  
neverdark

## THE STORY

### PRODUCT

Smart Fireplace

SFT Technology

Safe Eco Easy

### THE COMPANY

Our values

Our vision

Our performance

## THE CATALOGUE

### FREE-STANDING SMART FIREPLACES

Fild

The Log

Mosswood

Around Coffee

Around Single

Around Patio

### BUILT-IN SMART FIREPLACES

Automatic

Firetec

Chalet-I (in)

Chalet-I (ex)

Chalet-II (in)

Chalet-II (ex)

Around

### THERMOBOXES

Standard Installation

Hidden Installation

### ABOUT ARS



## Smart Fireplace Technology

### The smart fireplace is

an innovative device built on SFT technology that creates a real flame without a chimney, can be controlled via an app, and easily integrates into the Smart Home System.

With the help of a special Thermobox, you can easily install a smart fireplace in your apartment and enjoy the warmth of a live fire, just like in a traditional wood-burning fireplace.

All processes in a smart fireplace occur automatically and are fully controlled by electronics using sensors. You only need to plug it in. The fireplace does

not heat up inside; there is no pressure, and the fuel in the tank does not come into contact with the fire, remaining cold. Refueling is also automatic. The flame in our smart fireplace is open and always remains controlled and safe.

The smart fireplace is the most convenient and eco-friendly fireplace with a real flame on the market.



## SFT: Where Tradition Meets Innovation


At Neverdark, we merge the timeless appeal of a fire pit with advanced technology, creating a unique combination of tradition and innovation through our Smart Fireplace Technology (SFT).

SFT is a cutting-edge innovation that converts plant fuel into a real, smoke-free fire. It operates with an automatic bioethanol supply to a special burner, where the fuel is transformed into vapor and ignited by a glow plug, producing a true live flame.

Smart fireplaces achieve net-zero combustion, meaning they produce only minimal amounts of CO<sub>2</sub>. The entire process, from fuel production to combustion, has a closed CO<sub>2</sub> cycle, making it fully eco-friendly and safe for indoor use. This modern and secure technology ensures that you can enjoy the beauty of a real fire without the environmental impact.

The smart functionality comes from the sophisticated integration of advanced sensors and automation. These features ensure optimal performance and safety by precisely managing fuel flow, ignition, and flame height, creating a seamless and intuitive user experience.





We see our product through the SEE values filter



**SAFE**

is for the most secure way to enjoy fire inside your apartment – no direct contact with fire, flame control, one-click on/off, control system



**ECO**

is for the nature-friendly approach – our plant-based fuel is renewable, produces only a minimal amount of CO<sub>2</sub>, and is harmless for the environment



**EASY**

is for smart simplicity in every detail – easy installation, app or remote control, no cleaning needed, simple refilling

## The smart fireplace is the most simple, safe, and eco-friendly real fire solution in the world

- no smoke
- no smell
- no emissions
- no chimney flue
- no special cleaning
- no additional communications
- safety sensors
- suitable for any type of home and apartments
- smart control system: Mobile App + Smart Home

All our products are certified



**RoHS**



## OUR VALUES

### FRIENDSHIP

We are friendly in every single way, from our ecologic attitude to nature to the relationships we build with our colleagues and partners.

### PASSION

We are on fire! We are extremely passionate about what we do, which clearly inspires our team to produce exceptional ideas and to do an excellent job.

### INNOVATION

We are constantly reviewing and improving ourselves to provide a better product and service experience. We are always in search of cutting-edge technology, and we are ready to invent one if it doesn't exist yet.

## OUR VISION

We believe a real fire is part of our natural sense of home

We know that a fireplace can be as simple, convenient, and safe as any other house appliance

We see smart fireplaces as an integral part of the smart home ecosystem

## OUR PERFORMANCE

**17+** countries where we are represented

**800+** successful projects across the globe

**14** years of innovation in creating smart fireplaces

**6** international quality certificates



Mosswood  
Free-Standing Smart Fireplace

# THE CATALOGUE

FREE-STANDING  
FIREPLACES




BUILT-IN  
FIREPLACES



THERMOBOXES



# FILD

## FREE-STANDING LINEAR

### FEATURES

-  Reflective black glass on the back
-  Great for standing on the floor under the TV
-  Remote control (on/off, flame level adjustment)

-  LCD text-display
-  Integrated push-to-open control and refueling panel


-  Integrated glass border
-  3 levels of flame



### TECHNICAL DATA

L x W x H, mm	1000 x 370 x 745
Burning time, h (min   max)	2,4   5,2
Room size, m <sup>2</sup> (with/without ventilation system)	35   88

### OPTIONS



Additional Remote Control













**In the photo:**  
Smart Fireplace Fild on the floor  
in the attic.

# THE LOG

## FREE-STANDING VOLUMETRIC

### FEATURES



-  Heat-insulated housing
-  Decorated with lava stones, ceramic logs and glowing fiber
-  Touch-display (full control)
-  Finish options: brass or black gloss
-  Mobile App (Wi-Fi, monitoring and control with smooth flame level adjustment)
-  Built-in automatic refueling (no fuel spill)
-  Innovative burner with volumetric fire
-  Integrated push-to-open control and refueling panel
-  Integrated glass border
-  Remote control (on/off, flame level adjustment)



### TECHNICAL DATA

L x W x H, mm	1080 x 315 x 840
Burning time, h (min   max)	3,2   7,0
Room size, m <sup>2</sup> (with/without ventilation system)	30   75

### OPTIONS

-  Glossy black finish
-  Additional Remote Control














**In the photo:**  
Smart Fireplace Log  
in the bathroom.

The brass backs create a magical  
warm glow from the fire.

# MOSSWOOD

FREE-STANDING VOLUMETRIC

## FEATURES

-  Modular design (vertical up / vertical down / horizontal left / horizontal right)
-  Heat-insulated housing
-  Woodbox with natural logs
-  Innovative burner with volumetric fire
-  Decorated with lava stones, ceramic logs and glowing fiber
-  Mobile App (Wi-Fi, monitoring and control with smooth flame level adjustment)
-  Remote control (on/off, flame level adjustment)
-  Integrated push-to-open control and refueling panel
-  Touch-display (full control)
-  Built-in automatic refueling (no fuel spill)
-  Integrated glass border



## TECHNICAL DATA

Fireplace L x W x H, mm	670 x 350 x 645
Woodbox L x W x H, mm	670 x 350 x 645
Burning time, h (min   max)	3,0   7,5
Room size, m <sup>2</sup> (with/without ventilation system)	27   68

## OPTIONS



Additional Remote Control



Additional Woodbox



**In the photo:**










Smart Fireplace Mosswood

Woodbox arrangements: underneath / on top / next to

# AROUND

## FREE-STANDING ROUND

### FEATURES

-  You can choose the character of the fireplace flame
-  Innovative burner with volumetric fire
-  Decorated with lava stones, ceramic logs and glowing fiber
-  Mobile App (Wi-Fi, monitoring and control with smooth flame level adjustment)
-  Remote control (on/off, flame level adjustment)
-  No control panel (minimalistic LED indicator)
-  Does not require refueling (just replace the fuel canister)
-  Acrylic stone table
-  Integrated cylindrical glass border



AROUND COFFEE



AROUND SINGLE



AROUND PATIO

TECHNICAL DATA

	AROUND COFFEE	AROUND SINGLE	AROUND PATIO
Diameter, mm	900	465	465
Height, mm	862	822	1322
Burning time, h (min   max)	3,8   8,3		
Room size, m <sup>2</sup> (with/without ventilation system)	35   88		



OPTIONS




Custom Stand Color



Custom Table Design for Around Coffee



Additional Remote Control




Decorative Chimney Pipe



AROUND COFFEE

WIDE RANGE OF TABLE COLORS





**In the photo:**  
Smart Fireplace Around Coffee  
in the homeowner's study room  
in the country house.



**In the photo:**  
Smart Fireplace Around Single  
in the bedroom.









**In the photo:**  
Smart fireplaces Around Patio  
between tables in a restaurant.

# AUTOMATIC

## BUILT-IN LINEAR

### FEATURES

-  Remote control (on/off, flame level adjustment)
-  Integrated push-to-open control and refueling panel
-  Top panel option (matte black by default, INOX)
-  3 levels of flame
-  LCD text-display
-  Easy and safe manual fueling



### TECHNICAL DATA

Length, mm	700	1000	1200	1500	2000
Depth, mm	250	250	250	250	250
Height, mm	190	190	190	190	190
Flame line, mm	500	800	1000	1300	1800
Burning time, h (min   max)	2.0   5.4	2.4   5.2	2.8   6.4	2.5   6.3	2.6   5.7
Room size, m <sup>2</sup> (with/without ventilation system)	27   68	35   88	41   102	54   136	73   184



**In the photo:**  
Smart fireplace Automatic  
with glass borders is built  
into a movable cabinet  
in the home library.

OPTIONS



Glass Border (one or two)



Additional Remote Control



Inox top panel

EMBEDDINGS







**In the photo:**  
Smart Fireplace Automatic  
built into the wall, single-sided version


# FIRETEC

## BUILT-IN LINEAR


### FEATURES


 Mobile App (Wi-Fi, monitoring and control with smooth flame level adjustment)


 Black glossy top panel (gives reflection of the flame)


 Large standard fuel tank with up to 9.8 hours of burn time

 Touch-display (full control)

 No-touch system (open the control panel with a wave of the hand)

 Wide range of colors and materials for the top panel

 Built-in automatic refueling (no fuel spill)

 Extended flame line (+10cm)

### TECHNICAL DATA

Length, mm	700	800	1000	1200	1500	2000	2500
Depth, mm	250	250	250	250	250	250	250
Height, mm	205	205	205	205	205	205	205
Burning time, h (min   max)	4.1   9.4	3.9   9.8	3.7   8.7	4.0   9.7	4.0   8.8	4.3   8,9	3.0   7.1
Room size, m <sup>2</sup> (with/without ventilation system)	22   54	27   68	38   95	43   109	54   136	68   170	122   306



**In the photo:**  
Smart fireplace Firetec  
in the living room of a private house.

OPTIONS



Glass Border (one or two)



Remote Control



Enlarged Fuel Tank  
with up to 13,5 hours of burn time



External control and refueling  
module: Standard ARS /  
mini ARS (up) / mini ARS (down)



Smart Home module



Top panel options:  
Black matte, Bronze, Gold, INOX,  
RAL matte, RAL glossy

EMBEDDINGS





**In the photo:**  
Smart Fireplace Firetec  
recessed into the wall See-Through version

# CHALET-I (IN/EX)

BUILT-IN VOLUMETRIC

## FEATURES



Innovative burner with volumetric fire



Touch-display (full control)



Black matte finish



Decorated with lava stones, ceramic logs and glowing fiber



Large standard fuel tank with up to 11 hours of burn time



**Chalet-I (in)** Integrated push-to-open control and refueling panel



Mobile App (Wi-Fi, monitoring and control with smooth flame level adjustment)



Built-in automatic refueling (no fuel spill)



**Chalet-I (ex)** External control and refueling module: Standard ARS; mini ARS (up); mini ARS (down)



CHALET-I (IN)



CHALET-I (EX)

## TECHNICAL DATA

	CHALET-I (IN)	CHALET-I (EX)
Length, mm	650	
Depth, mm	320	
Height, mm	220	
Flame area, mm	150x250	
Burning time, h (min   max)	3,0   7,5	4,4   11,0
Room size, m <sup>2</sup> (with/without ventilation system)	27   68	



**In the photo:**  
Smart Fireplace Chalet-I (in)  
with a hidden Thermobox  
in a floor MDF portal, standing  
by the wall in the living room.

OPTIONS



Glass Border



Smart Home module



Any matte RAL color finish



Remote Control

EMBEDDINGS



Thermobox with standard installation



Thermobox with hidden installation



Thermobox with standard installation












**In the photo:**  
Smart fireplace Chalet-I (ex)  
with a Standard Chalet Box installed  
in a niche within a square column.

# CHALET-II (IN/EX)

BUILT-IN VOLUMETRIC

## FEATURES

-  Innovative burner with volumetric fire
-  Decorated with lava stones, ceramic logs and glowing fiber
-  Touch-display (full control)
-  Mobile App (Wi-Fi, monitoring and control with smooth flame level adjustment)
-  Black matte finish
-  Built-in automatic refueling (no fuel spill)
-  Large standard fuel tank with up to 10,5 hours of burn time
-  **Chalet-II (in)** Integrated push-to-open control and refuelling panel
-  **Chalet-II (ex)** External control and refueling module: Standard ARS / mini ARS (up) / mini ARS (down)



CHALET-II (IN)



CHALET-II (EX)

## TECHNICAL DATA

TECHNICAL DATA	CHALET-II (IN)		
	700	950	1200
Length, mm	700	950	1200
Depth, mm	350	350	350
Height, mm	210	210	210
Flame area, mm	150x200		
Burning time, h (min   max)	2.9   6.3	4.4   8.9	5.0   9.9
Room size, m <sup>2</sup> (with/without ventilation system)	35   88	38   95	41   102

TECHNICAL DATA	CHALET-II (EX)		
	700	950	1200
Length, mm	700	950	1200
Depth, mm	320	320	320
Height, mm	205	205	205
Flame area, mm	150x250		
Burning time, h (min   max)	4.1   10.3	5.2   10.3	4.7   10.5
Room size, m <sup>2</sup> (with/without ventilation system)	27   68	32   82	46   116



**In the photo:**  
Smart Fireplace Chalet-II (ex) with  
Reflection Screen on the back wall  
is built into a niche.

OPTIONS



Glass Border (one or two)



Enlarged Fuel Tank  
with up to 20,7 hours  
of burn time



Any matte RAL color finish



Remote Control



Smart Home module

EMBEDDINGS














**In the photo:**  
Smart fireplace Chalet-II (ex)  
in the custom Vertical Thermobox  
Room Divider.

Smart fireplace Chalet-II (ex)  
in the custom Vertical Thermobox  
Room Divider.

# AROUND

## BUILT-IN ROUND

### FEATURES

-  You can choose the character of the fireplace flame
-  Innovative burner with volumetric fire
-  Decorated with lava stones, ceramic logs and glowing fiber
-  Mobile App (Wi-Fi, monitoring and control with smooth flame level adjustment)
-  Remote control (on/off, flame level adjustment)
-  No control panel (minimalistic LED indicator)
-  Does not require refueling (just replace the fuel canister)
-  Matte black top panel
-  Integrated cylindrical glass border



### TECHNICAL DATA

Diameter, mm	400
Burning time, h (min   max)	3,8   8,3
Room size, m2 (with/without ventilation system)	35   88





**In the photo:**  
Smart Fireplace Around is built  
into a custom fireplace housing.

The fire in the fireplace  
is completely covered  
by glass.

The housing has air  
intake from below and air  
outlet near the ceiling.

OPTIONS



Fuel Tank & External control and refueling module: Standard ARS / mini ARS (up) / mini ARS (down)



Any matte RAL color finish



Additional Remote Control



Smart Home module

EMBEDDINGS





**In the photo:**  
Smart Fireplace Around is built into dining table. The fireplace has optional fondue

stand and can be used to make fondue and marshmallows.



# THERMOBOXES

FOR LINEAR & VOLUMETRIC FIREPLACES

## FOR LINEAR

Length of fireplace, mm	700	800	1000	1200	1500	1700	2000	2500
Length of thermobox, mm	800	900	1100	1300	1600	1800	2200	2700
Depth of thermobox, mm (standard inst. / hidden inst.)	340 / 350							
Height of thermobox, mm (standard inst. / hidden inst.)	460 / 400							

## FOR VOLUMETRIC

700	950	1200
800	1050	1300
410 / 420		
500 / 440		


## OPTIONS



Canopy



Long Glass Border  
(one or two)



Reflection Screen



Frame  
(only for standard installation)



Short Glass Border  
(one or two)

# SINGLE-SIDED THERMOBOXES



STANDARD INSTALLATION



HIDDEN INSTALLATION



# LEFT / RIGHT CORNER THERMOBOXES



STANDARD INSTALLATION



HIDDEN INSTALLATION



# SEE-THROUGH THERMOBOXES



STANDARD INSTALLATION



Frame for aesthetics,  
to cover wall finish



Glass borders  
for additional safety



HIDDEN INSTALLATION



Canopy to divert hot air  
from the furniture



Glass borders  
for additional safety

# THREE-SIDED THERMOBOXES

STANDARD INSTALLATION



HIDDEN INSTALLATION



# ROOM DIVIDER THERMOBOXES

STANDARD INSTALLATION



HIDDEN INSTALLATION



# CHALET-BOX

FOR CHALET-I ONLY

Length of fireplace, mm	650
Length of thermobox, mm (standard inst. / hidden inst.)	750 / 655
Depth of thermobox, mm (standard inst. / hidden inst.)	355 / 350
Height of thermobox, mm (standard inst. / hidden inst.)	750 / 700

## OPTIONS




Canopy



Long Glass Border



Frame  
(only for standard installation)



Reflection Screen

STANDARD INSTALLATION



HIDDEN INSTALLATION



# ARS

## AUTONOMOUS REFUELING SYSTEM

### FEATURES

- Touch screen, automatic refueling connector, and power button
- Black matte textured surface
- Mounted separately from the fireplace, either on a wall or hidden in furniture
- Connects to the fireplace via a 2.5-meter fuel line and data-power cable
- Control and refueling without touching the fireplace
- Ideal for installations where bending over the fireplace is impractical or when a sleek look is desired

### STANDARD ARS



- No lid cover
- Permanently mounted fuel hose inside
- Easy refueling by placing the hose into a canister

### MINI ARS (UP) & MINI ARS (DOWN)



- Compact size for versatile placement
- No permanently attached fuel hose for streamlined design
- Features a lid cover with a push-to-open mechanism
- Mini ARS (up) is ideal for higher installations
- Mini ARS (down) is ideal for lower installations



x  
neverdark