

# LIVING FIRE


by SPARTHERM®



## STOVES

Love of fire. A lifetime.

Refractories eboris 1300 ultra ivory



Refractories eboris 1300 ultra black



## PRODUCT-SPECIFIC PICTOGRAPHS

	RLA, room air dependent
	RLU, room air sealed, DIBt approval
	Firewood
	Heat storage on the side
	Heat storage on top
	Additions
	Rotable
	S-USI II
	S-Thermatik NEO
	Total height
	Energy efficiency class
	Nominal heat output NW (kW)
	Output range (kW)
	Water-bearing stoves (kW)
	Bent
	Straight
	Tunnel
	L-Form
	U-Form
	Oval
	Round

## CONTENT

Introduction	4 - 9
Product overview	10 - 11
Products	12 - 61
Technical data	62 - 65


### NOTE:

- Colour deviations are possible due to printing. Colour and technical changes as well as errors excepted.
- Fluctuations in the material structure and colour shading are possible with ground and lacquered steel due to the production process.



# **FLAMING PASSION FOR FIRE**





## Innovative technology in timeless design

A crackling fire draws the eye and invites you to relax in front of the fire. Anyone who wants to experience a pattern of flames in exclusive style can be inspired by the impressive variety of extraordinary LIVING FIRE stoves from Spartherm. Manufactured in Germany with high-quality, selected materials, the current models combine innovative stove technology and pioneering design in harmonious perfection. To make the fire experience even more personal, numerous modifications have been developed to individualise each stove to suit your own needs. Numerous LIVING FIRE models also impress with the „S-Thermatik NEO“ combustion control system, which uses the fuel with maximum efficiency in the spirit of sustainability. At the same time, the optional thermal storage medium elements provide even more cosy warmth and a feel-good ambience in the firelight.

WHAT IS  
FASCINATING  
ABOUT A  
**SPARTHERM**  
**STOVE?**



**UNIQUE DESIGN,  
JUST AS YOU  
WANT IT**



**INNOVATIVE  
PRODUCTS FOR  
EVERY STYLE  
OF LIVING**



**AN INDIVIDUAL  
FIREPLACE  
EXPERIENCE,  
FOR A LIFETIME**







Piko L with wide wood store on the right

## LIVING STYLES – **A FIRE FOR STYLE**

Elegant design classics in vintage style, modern Scandinavian furniture or purist minimalism, personal furnishing styles often reveal the deepest wishes and needs. Because how the personal place of well-being is created is a very individual decision. If you manage to evoke feelings and create harmonies with furniture and decorations, you will feel comfortable in your own four walls. Then all that is needed is a fireplace to warm the soul as well. This creates a place with which stories and people connect – a home.







No wonder that more and more people appreciate this very special living feeling within their own four walls. This is why Spartherm has designed its LIVING FIRE product range with so many variants that the stoves can be freely positioned in the room and set unusual accents in the ambience. Because thanks to the innovative design ideas of the Spartherm experts, the stoves fit harmoniously into any individual furnishing concept – tasteful, exclusive and stylish.



## Passo

The all-rounder.

Variants:

Passo XS	Passo XS style
Passo XS tripod	Passo S
Passo L	

Page 12-19

## ambiente

Heat made to measure.

Variants:

ambiente a3	ambiente a4
ambiente a4 H <sub>2</sub> O	ambiente a7
ambiente a8	ambiente a9

Page 28-31

## Piko

Fascinating fire for the corner.

Variants:

Piko S	Piko L
Piko L with narrow wood store	Piko L with wide wood store
Piko H <sub>2</sub> O	Piko S steel

Page 20-23

## Lungo

A strong presence.

Variants:

Lungo 2L
Lungo 2R

Page 32-33

## Cubo

The Gentleman.

Variants:

Cubo S	Cubo L
Cubo L with narrow wood store	Cubo L with wide wood store
Cubo L style	

Page 24-27

## Senso

Cutting a great figure.

Variants:

Senso S	Senso M H <sub>2</sub> O
Senso L	Senso L fashion
Senso L klassik	

Page 34-39

## SEO

Unique design meets state-of-the-art fireplace technology.

Variants:

SEO S                      SEO S leva

SEO L                      SEO L leva

Page 40-41



## Sino

Modern design meets tradition.

Variants:

Sino L

Sino City

Page 46-49



## Linear Module

Ample space for fire.

Variants:

Linear Module XS

Linear Module M

Page 42-43



## Moro

Pure comfort.

Page 50-51



## Sento

Fire in a cinema format.

Page 44-45





# Passo

Round and attractive

The round shape is what makes the Passo so charming. Clear lines and a no-frills design allow this stove to harmonise with a wide variety of furnishing concepts – discreet and calming. At the same time, the Passo certainly has a present appearance, but as a slender column it is also elegant and not too dominant.



Passo S



Passo XS

## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic  
auburn



Steel,  
polished and  
varnished

Passo XS | S | L also available in the Black Edition.  
See page 62-63

## VARIANTS

### Passo XS

#### The small variant



1142 mm



4.5 - 7.7 kW



A+



5.9 kW

### Passo S

#### The compact variant



1436 mm



4.5 - 7.9 kW



A+



6.1 kW

### Passo L

#### The high variant



1636 mm



4.5 - 7.9 kW



A+



6.1 kW





# Passo

Elegance and performance

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)



Passo XS with wood  
store on the right





In other models, the Passo XS in the rather small compact version and the Passo L as a tall column are impressive. In all Passo variants, the blazing fire in the centre of the stove is presented at a 180 degree angle. This naturally creates an atmosphere of well-being.





# Passo XS style

Courage to use colour



Passo XS style



Passo XS style



The Passo XS style inspires with a variety of modern colours. The handle and the base are made of real wood and give the extraordinary stove a young and urban look, just like the soft edges of the steel body. The unique, specially developed 180-degree panoramic glass skilfully sets the fire in scene.

The smart assistance functions also support the special style. The S-Thermatik NEO – electrically controlled – allows the logs in the stove to burn evenly and effectively. In addition, an electrically operated underpressure control can provide maximum safety in a smart way – that's LIVING FIRE by SPARTHERM at it's best!

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)

## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic  
auburn

## VARIANT

### Passo XS style

Discover one more facet of this  
universal talent



1220 mm



4.5 - 7.7 kW



A+



5.9 kW







# Passo XS tripod

Unique on three legs



A design highlight for the home. The Passo XS tripod is a stove that rests majestically on a pedestal like a piece of furniture and unites the best of both worlds. Its three legs not only ensure the Passo XS tripod is stable, they also make it a defining style element in any furnishing concept.

As safety is a top priority for all LIVING FIRE by SPARTHERM stoves, the smart-controlled underpressure control has also been developed for this model. This is how the latest innovative combustion technology meets the trendy style of the time. This unique look thus sets special accents for an extraordinary ambience.



Passo XS tripod

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-USI II  
(underpressure control)



Passo XS tripod

## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic auburn



Steel,  
polished and  
varnished

## VARIANT

### Passo XS tripod

All good things come in threes



1236 mm



4.5 - 7.7 kW



A+



5.9 kW







# Piko

The fire in focus



Piko L with narrow wood store on the right



Piko L with wide wood store

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)

Love of corners and edges. The various models from Piko inspire thanks to a view of the flame pattern from different perspectives. The stove offers interesting views and insights from two sides, making it an eye-catching design element for open-plan living spaces.



## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic auburn

## VARIANTS

### Piko S

#### Clean and compact



1156 mm



4.5 - 7.7 kW



A+



5.9 kW

### Piko L

#### Optionally with firewood compartment



1436 mm



4.5 - 7.7 kW



A+



5.9 kW

### Piko H<sub>2</sub>O

#### With water heat exchanger



1500 mm



5.5 - 10.3 kW



A+



7.9 kW



The clean, minimalist lines define the cubic character of all variants of the impressive stove. If desired, the Piko L can also be fitted with a stylish firewood compartment to emphasise its effect. In addition to its special look, the Piko H<sub>2</sub>O model impresses with another aspect compared to the other stoves in the range. Because this particular stove is equipped with a water heat exchanger. In this way – quite incidentally – hot water is also provided for the whole house. Sustainability with brains.



# Piko S steel

A firebender made of steel



Piko S steel with bottom drawer  
for wood on the right







## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic auburn



Steel,  
polished and  
varnished

Piko S steel is also available in the Black Edition.  
See page 66-67

## SMART FIREPLACE ASSISTANCE FUNCTIONS



**S-Thermatik NEO**  
(combustion control)



**S-USI II**  
(underpressure control)

Solid and reliable. The Piko S steel is made of perfectly crafted 6 mm thick steel. The modern stove with its angular shape looks timelessly elegant. The single-glass combustion chamber door with attractive corner glazing grants you a unique view of the crackling fire from all sides. Thus, the Piko S steel with its special look can also attract attention as a design element in the middle of the room.

## VARIANT

**Piko S steel**

**Steel as a statement**



1160 mm



4.5 - 7.7 kW



A+



5.9 kW





# Cubo

Gentle and clear



Cubo S

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)



Cubo L with narrow wood store on the right

## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic auburn

The Cubo is a stove that surprises with its special lines. Its gently rounded corners, which seem almost soft, combine harmoniously with the minimalist, modern overall design.

Whether as Cubo S in the compact version or in the tall version as Cubo L, the Cubo models can be perfectly positioned in the corner of a room with its hinged door or placed directly in front of the wall. If desired, the firewood can also be stylishly staged in a specially designed firewood compartment in the Cubo L model. Thus, this unusual stove in all its variants enriches every ambience with its discreet yet elegant appearance.

## VARIANTS

### Cubo S

#### The compact variant



1156 mm



4.5 - 7.7 kW



A+



5.9 kW

### Cubo L

#### Optionally with firewood compartment



1436 mm



4.5 - 7.7 kW



A+



5.9 kW







# Cubo L style

For unique style



Cubo L style

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)



Fancy shape and colour? Then the Cubo L style, which has a generous glass across the corner, is sure to whet your appetite with its many design variations. Be it the soft wood tone or the turquoise reminiscent of the ocean, with the Cubo L style modern trend colours and wood applications can be combined in many new ways – for a unique personal style.

To support this style in a smart way, Spartherm has developed some innovative assistance functions for the stove. In this way, the electrically controlled S-Thermatik NEO allows the wood to burn evenly in a CO<sub>2</sub>-neutral manner. The electric underpressure control, designed according to the latest state of the art, ensures maximum safety.



## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic  
auburn

## VARIANT

### Cubo L style

Your fire – your style



1466 mm



4.5 - 7.7 kW



A+



5.9 kW





# ambiente

Elegant and puristic

Crafted to the highest quality, each model in the ambiente range combines stylish design and innovative combustion technology. This provides a pleasant warmth for a great feeling. Finally, the easy operation of all elements of ambiente leaves more time to enjoy the fireplace.



The ambiente stove inspires with its simple elegance and the return to the clear form. Spartherm has created the right ambiente for every position in the room. The ambiente a7 is at its best in front of a wall, while the ambiente a8 shines as a solitaire in an open space. Compact and smart, the ambiente a9 can decorate a room divider.



ambiente a7

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)





ambiente a8



ambiente a9

## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic  
auburn



Soapstone



Limestone  
Porto Blanco



Grigio  
Augusta  
Natura



Satined granite  
nero lesina

## VARIANTS

### ambiente a7

Perfect in front of your wall



1190 mm



4.5 - 7.7 kW



A+



5.9 kW

### ambiente a8

Free in space



1190 mm



4.5 - 7.7 kW



A+



5.9 kW

### ambiente a9

Compact and smart



1147 mm



4.5 - 7.7 kW



A+



5.9 kW





# ambiente

A round highlight  
for the ambience



ambiente a3



ambiente a4

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)



With its tall, slender form, this ambiente fascinates every observer. Because the tasteful, round design of the body is impressively different from many classically designed stoves. The pattern of flames can be enjoyed in a relaxed manner through the large, rounded panoramic glass.

With technical refinements, the ambiente a4 H<sub>2</sub>O with its innovative water heat exchanger is particularly impressive, in addition to the tall and compact variant. The fire in the stove also heats the water for the entire house.

## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic  
auburn

## VARIANTS

### ambiente a3

#### The compact variant



1468 mm



4.5 - 7.7 kW



A+



5.9 kW

### ambiente a4

#### The high variant



1674 mm



4.5 - 7.7 kW



A+



5.9 kW

### ambiente a4 H<sub>2</sub>O

#### With water heat exchanger



1674 mm



5.6 - 10.4 kW



A+



8.0 kW







# Lungo

Strong and powerful



Lungo 2R

A fire that fascinates from every angle. The Lungo from LIVING FIRE by SPARTHERM presents an impressive pattern of flames with its unique clear, seamless design that delights from several perspectives. For example, this stove can elegantly connect two rooms with a special fire experience.

The Lungo stove can be used to set individual accents in any ambience. Thus, not only the door opening of the stove with the handle to the left or right can be selected for optimal architectural integration, but also the exclusively created colours for the surfaces. Whether ceramic crater riverwashed, pearl, turquoise, nickel or magnolia, the Lungo can be adapted to personal taste in a variety of different colours – for an appearance with a strong presence..

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)



Lungo 2L

## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic auburn



Ceramic craters riverwashed



Ceramic concrete riverwashed

Lungo 2L | Lungo 2R also available in the Black Edition. See page 64-65

## VARIANTS

Lungo 2L | Lungo 2R

A strong presence



1628 mm



4.5 - 7.8 kW



A+



6.0 kW





# Senso

Experience with all senses



The flames flicker and let the wood crackle – the Senso stove impresses with its generously curved panoramic glass and its harmonious design, which can be adapted to the personal ambience through a wide range of available colours. The oval and balanced shape of the Senso allows a perfect equilibrium between slim appearance and space for a high blazing fire.



Senso L

## COLOURS OF FRONT COVER PANEL



Nero



Titanium



Pearl



White



Turquoise



Light grey



Magnolia



Nickel



Metallic  
auburn



Black printed  
glass

## COLOURS OF SIDE PANEL + TOP PLATE



Nero



Titanium



Pearl



Soapstone



Ground  
stainless  
steel





Senso S

For those who want to act sustainably, the Senso M H<sub>2</sub>O is a stove that impresses with its extraordinary design as well as with technical innovations for the benefit of the environment. This is because the Senso M H<sub>2</sub>O has a water heat exchanger that automatically heats water for the house while the fire is burning, saving resources.

## SMART FIREPLACE ASSISTANCE FUNCTIONS



**S-Thermatik NEO**  
(combustion control)



**S-USI II**  
(underpressure control)

## VARIANTS

### Senso S

#### The compact variant



1096 mm



4.9 - 9.1 kW



A+



7.0 kW

### Senso M H<sub>2</sub>O

#### With water heat exchanger



1309 mm



5.5 - 10.3 kW



A+



7.9 kW

### Senso L

#### The high variant



1353 mm



4.9 - 9.1 kW



A+



7.0 kW





# Senso L fashion

Design meets function



## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)



Senso L fashion

## COLOURS



Nero / concrete

With its special look, the Senso L fashion inspires at first sight. Because the concrete cover panels shape its extravagant appearance in a unique way. The extraordinarily designed stove with its large panoramic glass becomes a style object for every modern ambience.

The Senso L fashion can also be equipped with smart fireplace assistance functions of particularly high quality. The electric S-Thermatik NEO, for example, enables the wood to burn efficiently and a underpressure control ensures even more safety – for a relaxed fire experience.

## VARIANT

### Senso L fashion A strong personality



1286 mm



4.9 - 9.1 kW



A+



7.0 kW







# Senso L klassik

Timeless in classic form



Senso L klassik

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)



With its high-quality cover panel made of the radiantly bright Portuguese limestone Porto Blanco, the design of the Senso L klassik is reminiscent of a Hellenistic column. The dark body and the light stone of the cover panel form an elegant contrast. This creates a visually interesting field of tension that impressively frames a crackling fireplace – for a unique pattern of flames.

With its smart assistance functions, Senso L klassik is also perfectly equipped for the future. The S-Thermatik NEO, for example, automatically ensures that the logs burn evenly, while the electrically controlled S-USI II underpressure control safeguards the fire.

## COLOURS



Nero /  
Limestone Porto Blanco

## VARIANT

### Senso L klassik

A modern design with a classic inspiration



1326 mm



4.9 - 9.1 kW



A+



7.0 kW





# SEO

Smart and twisted



SEO L

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)





SEO S  
with storage module

Anyone looking for the perfect symbiosis of a straightforward, clear design with the latest technology will find the answer in SEO. Because the stove surprises with numerous refinements. In the SEO S variant, for example, the entire combustion chamber can even be rotated as desired. This changes the view of the flame patterns and creates unique fire moments. The digital control of the SEO creates safety, comfort and the possibility to connect the innovative stove with a smart home – paving the way to a safe future.

## COLOURS



Nero



Titanium



Pearl



White



Light grey



Turquoise



Magnolia



Nickel



Metallic  
auburn

## VARIANTS

### SEO S

With rotating combustion chamber



1393 mm



4.5 - 6.6 kW



A



5.1 kW

### SEO L

With side window



1393 mm



4.5 - 7.2 kW



A



5.5 kW

### SEO S leva

With manual controls



1393 mm



4.5 - 6.6 kW



A+



5.1 kW

### SEO L leva

With manual controls



1393 mm



4.5 - 6.6 kW



A+



5.1 kW





# Linear Module

Room for fire



Linear Module XS



Linear Module M

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-USI II  
(underpressure control)



The flame experience is the star of the Linear Module. Because with the stove's all-black design, the fire pattern is perfectly and compactly staged by the Linear Module XS even in small rooms. On the other hand, anyone who appreciates a large combustion chamber will find the Linear Module M the perfect companion on cool winter evenings.

The various models of the stove are accompanied by a shapely bench that not only supports the combustion chamber but also provides space for the wood supply – for pure fire enjoyment.



Linear Module M

## COLOUR



Nero

## VARIANTS

### Linear Module XS

#### Ideal solution

≥ 525 mm 4.0 - 5.2 kW

A+ 4.0 kW

### Linear Module M

#### Large combustion chamber

≥ 612 mm 4.8 - 9.0 kW

A+ 6.9 kW







# Sento

Variety in XXL



Sento



Sento

## SMART FIREPLACE ASSISTANCE FUNCTIONS




S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)

The Sento stove impresses with a fire experience in an extra-wide format. Because the flickering flames can be observed through a particularly large panoramic glass.

To ensure that the Sento blends harmoniously into the ambience, it can be individualised into the personal dream stove with 54 varying surface colours and materials – from pearl white to metallic rust brown to a delicate magnolia shade. Sento fascinates with its unmistakable look.



Sento

**COLOURS BASIC BODY**

			
Nero	Titanium	Pearl	White
			
Turquoise	Light grey		




**COLOURS FRONT CLADDING**

			
Nero	Titanium	Pearl	White
			
Turquoise	Light grey	Soapstone	Sahara sandstone
			
Concrete			

**VARIANT**

**Sento**  
**Fire in a cinema format**

	1315 mm		4.6 - 8.5 kW
	A+		6.5 kW



# Sino City

A true classic



Cosiness has a name: Sino City. Because nature comes home with the special stove from LIVING FIRE by SPARTHERM. Sino City, for example, is presented with a sandstone in the colour Sahara, with soapstone in a stylish shade of grey or with the light Porto Blanco limestone.



Sino City

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)





The different natural stone cover panels radiate a warm and calming effect. In this way, their discreet appearance blends harmoniously into the style world of the respective interior concept. In addition to the natural stones with their unique grain, a warming plate for the tea set and the spacious firewood compartment create a relaxing atmosphere to feel good and lean back.



Sino City

## COLOURS



Nero /  
soapstone



Nero /  
Sahara  
sandstone



Nero /  
Limestone  
Porto Blanco

## VARIANT

### Sino City

Modern design meets tradition



1270 mm



4.5 - 6.5 kW



A+



5.0 kW





# Sino L

Natural and well thought out



In the classic compact Sino L, what's on the inside is just as important as what's on the outside. Because its handle is integrated and only shows itself when it is desired. If you want to keep an eye on your fire at all times, you can bring the Sino L into the desired position with just a slight turn.



Sino L

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)





Sino L

Thus, the blazing flames warm the unique nature-grained stone of the Sino L, which impresses with its exceptional quality and workmanship. Depending on personal taste, the rosé-looking Sahara sandstone, the light grey soapstone or the light Porto Blanco limestone can be chosen for the cover panel. This creates a cosy ambience that invites you to linger – for a lifetime.



## COLOURS OF FRONT COVER PANEL



Nero



Titanium

## COLOURS OF SIDE COVER, TOP PLATE AND WARMING COMPARTMENT



Sahara sandstone



Soapstone

## VARIANT

Sino L

Natural stone at its best



1270 mm



4.9 - 9.1 kW



A



7.0 kW







# Moro

Pure nature



Moro

The Moro stove is covered in a stylish grey soapstone or in Sahara sandstone with arosé effect. In this way, the natural stones create a unique design shaped by nature and an incomparable room atmosphere. Because the stored heat is released evenly and gently into the environment. The two integrated compartments keep the tea or coffee warm on cold winter days and the wood dry for a roaring fire.

## SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO  
(combustion control)



S-USI II  
(underpressure control)



The Moro stove is also equipped to a high standard with smart fireplace assistance functions. The electric S-Ther-matik NEO, for example, enables the wood to burn efficiently and a underpressure control ensures even more safety in the light of the fire.

## COLOURS



Nero /  
Soapstone



Nero /  
Sahara  
sandstone

## VARIANT

### Moro Pure comfort



1297 mm



4.5 - 6.5 kW




A+



5.0 kW





## USE HEAT SEVERAL TIMES

Sustainable action. Heat can be generated by burning wood. This is considered a CO<sub>2</sub>-neutral alternative to oil or gas-fired heating. So what would make more sense than to use ultra-modern technology to make the most sustainable use possible of the residual heat in the exhaust gas? This means that the innovative stoves from LIVING FIRE by SPARTHERM can also be used to heat water. The water heated via the stove is buffered in a hot water tank and can then be made available to the underfloor heating, for example. In this way, not only is an efficient heating system with high heat output created, but at the same time hot water can also be obtained for the household – sustainably and ecologically.

Water-conducting stoves deliver impressive values:

- 25–80% water heat content
- 78–86% firing efficiency
- CO<sub>2</sub>-neutral



# AN ADVANTAGE FOR THE ENVIRONMENT: STOVES FOR HOT WATER PRODUCTION



The fireplaces with H<sub>2</sub>O technology from Spartherm are particularly energy-efficient. For this, they require no more space than a conventional warm air or storage system. In this way, they offer themselves as a CO<sub>2</sub>-neutral alternative in hot water generation and create a feel-good ambience in every respect – with a clear conscience.




# BLACK EDITION

## SPARTHERM BLACK EDITION CUSTOMISED DESIGN IN INDUSTRIAL STYLE

Powerful and striking. The varied black tones shimmer in the light of the blazing fireplace and magically attract the eye. This is how the Black Edition from Spartherm creates special accents in the trendy „Industrial Style“.



More Passo  
you get here



Passo L Black Edition



Passo S Black Edition



Passo XS Black Edition





Lungo 2L Black Edition

The special models, painted entirely in black, fascinate with their puristic shapes and thus advance to become a design highlight in every room. In five variants, the Black Edition convinces with the highest quality and a unique look.



More Lungo  
you get here







Piko S steel Black Edition





More Piko S steel  
you get here



Passo						
	Passo XS	Passo XS style	Passo XS tripod	Passo S	Passo L	
Piko						
	Piko S	Piko S steel	Piko L	Piko L with narrow wood store	Piko L with wide wood store	Piko H <sub>2</sub> O
Cubo						
	Cubo S	Cubo L	Cubo L with narrow wood store	Cubo L with wide wood store	Cubo L style	
Sento						
	Sento					
Lungo						
	Lungo 2L	Lungo 2R				
Linear Module						
	Linear Module XS	Linear Module M				

Stoves			Model	Sento	Linear Module XS	Linear Module M	ambiente a7	ambiente a9	SEO S	SEO S leva	SEO L
			optional	RLU						RLU	RLU
Characteristics	Energy efficiency class			A+	A+	A+	A+	A+	A	A+	A
	Nominal heat output		kW	6.5	4.0	6.9	5.9	5.9	5.1	5.1	5.5
	Output range		kW	4.6 - 8.5	4.0 - 5.2	4.8 - 9.0	4.5 - 7.7	4.5 - 7.7	4.5 - 6.6	4.5 - 6.6	4.5 - 7.2
	Efficiency		%	> 80	> 80	> 80	> 80	> 80	80	> 80	80
	Output ratio air / H <sub>2</sub> O		%	–	–	–	–	–	–	–	–
	Output ratio air / H <sub>2</sub> O		kW	–	–	–	–	–	–	–	–
	Room heating capacity	Convenient approx.	m³	186	88	> 186	144	144	124	124	144
		Less convenient approx.		107	53	107	84	84	73	73	84
		Inconvenient approx.		73	34	73	56	56	48	48	56
	Flue gas mass flow		g/s	6	3.8	5	5.1	5.2	5.2	5.1	6
	Flue gas temperature (on flue gas connection)		°C	301	252	370	318	327	309	284	283
	Min. air supply pressure at nominal heat output		Pa	12	12	12	12	12	12	12	12
	Combustion air requirement		m³/h	19.7	11.8	16.7	17.8	22.4	16.3	16.7	19
Weights	Steel		kg	220	≥ 56	≥ 90	200	170	240	240	225
	Lateral heat storage elements L/R		kg	–	–	–	80   110   140 <sup>2</sup>	–	–	–	–
	Natural stone		kg	–	–	–	250–300	300	–	–	–
	Ceramics		kg	–	–	–	–	–	–	–	–
	Heat storage on top		kg	–	–	–	20   30   35 <sup>2</sup>	–	–	–	–
Measurements	Total height		mm	1315	≥ 525	≥ 612	1190	1147	1393	1393	1393
	Total width		mm	600	≥ 400	≥ 716	583	≥ 483	444	444	444
	Total depth		mm	451	350	450	468	464	352	352	352
	Door height		mm	434	456	503	706	706	482	482	482
	Door width		mm	590	348	614	439	437	346	346	346
	Flue pipe diameter Ø		mm	150	130	150	150	150	150	150	150
	① From lower edge of adjustable foot to upper edge of top flue spigot		mm	1295	≥ 548	≥ 615	1168	1114	1427	1427	1400
	② From lower edge of adjustable foot to middle of rear flue spigot		mm	1065	–	≥ 489	980	980	1290	1290	1290
	Supply air inlets Ø		mm	100	–	150	100	100	100	100	100
	Distance till middle of supply air inlet measured from the floor behind the unit		mm	–	–	≥ 268	205	138	131	131	131
	Distance from middle of supply air inlet measured to the floor in front of the unit		mm	336	–	–	234	333	170	170	170
Options	Connecting pipe outlet top			✓	✓	✓	✓	✓	✓	✓	✓
	Connecting pipe outlet back			✓	–	✓	✓	✓	✓	✓	✓
	Ash pan			–	–	–	–	–	✓	✓	✓
	Rotatability			–	–	–	–	–	✓	✓	–
	Heat storage			–	–	–	✓	✓	–	–	–
	Separate combustion air			–	–	–	✓	✓	✓	✓	✓
Door mechanism				Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door
Certificates   Approvals	DIN EN 13240			✓	✓	✓	✓	✓	✓	✓	✓
	2. BImSchV 2010			✓	✓	✓	✓	✓	✓	✓	✓
	Aachener/Münchener/Regensburger regulation			✓	✓	✓	✓	✓	✓	✓	✓
	DIBt room air sealed operation			✓	–	–	–	–	✓	–	✓
	DIBt approval No.			Z.-43.12–464	–	–	–	–	Z-43.12–456	Z-43.12–456	Z-43.12–456
	Art. 15 a B-VG (Austria)			✓	✓	✓	✓	✓	✓	✓	✓
	Ecodesign 2022			✓	✓	✓	✓	✓	✓	✓	✓

① Connecting height of flue pipe, top

② Connecting height of flue pipe, rear



SEO L leva	ambiente a8	Lungo	Piko S steel	Piko S	Piko L	Piko L with narrow wood store	Piko L with wide wood store	Piko H <sub>2</sub> O	Cubo S	Cubo L	Cubo L with narrow wood store
RLU		2L / 2R		RLU	RLU	RLU	RLU		RLU	RLU	RLU
A+	A+	A+	A+	A+	A+	A+	A+	A+	A+	A+	A+
5.1	5.9	6.0	5.9	5.9	5.9	5.9	5.9	7.9	5.9	5.9	5.9
4.5 - 6.6	4.5 - 7.7	4.5 - 7.8	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7	5.5 - 10.3	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7
> 80	> 80	80	> 80	> 80	> 80	> 80	> 80	> 80	> 80	> 80	> 80
-	-	-	-	-	-	-	-	43 / 58	-	-	-
-	-	-	-	-	-	-	-	3.3 / 4.6	-	-	-
124	144	165	144	144	144	144	144	56	144	144	144
73	84	95	84	84	84	84	84	35	84	84	84
48	56	65	56	56	56	56	56	22	56	56	56
4	5.6	7.3	4.9	4.9	4.9	4.9	4.9	8.6	4.9	4.9	4.9
310	300	254	325	325	325	325	325	215	325	325	325
12	12	11	12	12	12	12	12	12	12	12	12
13.5	20.6	25.2	15.4	15.4	15.4	15.4	15.4	30.5	15.4	15.4	15.4
225	200	195	≥ 205	160	175	295	325	240	165	180	300
-	80   110   140 <sup>2</sup>	-	-	-	-	-	-	-	-	-	-
-	250-300	-	-	-	-	-	-	-	-	-	-
-	-	202	-	-	-	-	-	-	-	-	-
-	20   30   35 <sup>2</sup>	↑ 24   → 21	-	-	↑ 50   → 63	↑ 50   → 63	↑ 50   → 63	-	-	↑ 50   → 63	↑ 50   → 63
1393	1190	1628	1160	1156	1436	1436	1436	1500	1156	1436	1436
444	583	631	405	406	406	666	819	500	406	406	666
352	468	421	405	406	406	406	406	500	406	406	406
482	706	479	572	572	572	572	572	478	572	572	572
346	437	500 / 291	335 / 335	335 / 335	335 / 335	335 / 335	335 / 335	418 / 418	335 / 335	335 / 335	335 / 335
150	150	150	150	150	150	150	150	150	150	150	150
1400	1168	1325	1132	1130	1270	1270	1270	1527	1130	1270	1270
1290	-	1466	975	973	1113	1113	1113	1386	973	1113	1113
100	100	100	100	100	100	100	100	100	100	100	100
131	-	128	134	126	126	126	126	148	126	126	126
170	234	233	202	202	202	202	202	278	202	202	202
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓
-	-	-	-	-	-	-	-	-	-	-	-
-	✓	✓	-	-	✓	✓	✓	-	-	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	-	-	-	✓	✓	✓	✓	-	✓	✓	✓
Z-43.12-456	-	-	-	Z-43.12-320	Z-43.12-320	Z-43.12-320	Z-43.12-320	-	Z-43.12-320	Z-43.12-320	Z-43.12-320
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Cubo L with wide wood store	Cubo L style	Senso S	Senso M H <sub>2</sub> O	Senso L	Senso L klassik	Senso L fashion	Sino L	Sino City	Moro	ambiente a3	ambiente a4
RLU	RLU			RLU	RLU	RLU		RLU	RLU	RLU	RLU
A+	A+	A+	A+	A+	A+	A+	A	A+	A+	A+	A+
5.9	5.9	7.0	7.9	7.0	7.0	7.0	7.0	5.0	5.0	5.9	5.9
4.5 - 7.7	4.5 - 7.7	4.9 - 9.1	5.5 - 10.3	4.9 - 9.1	4.9 - 9.1	4.9 - 9.1	4.9 - 9.1	4.5 - 6.5	4.5 - 6.5	4.5 - 7.7	4.5 - 7.7
> 80	> 80	> 80	> 85	80	80	80	> 78	> 80	> 80	80	80
-	-	-	37 / 63	-	-	-	-	-	-	-	-
-	-	-	2.9 / 5.0	-	-	-	-	-	-	-	-
144	144	> 186	56	> 186	> 186	> 186	> 186	124	124	144	144
84	84	120	35	120	120	120	120	73	73	84	84
56	56	82	22	82	82	82	82	48	48	56	56
4.9	4.9	6.1	6.2	6.7	6.7	6.7	6.3	4.4	3.9	5.1	5.1
325	325	326	250	317	317	317	330	335	337	350	350
12	12	12	12	12	12	12	12	12	11	12	12
15.4	15.4	22.1	21.7	22.2	22.2	22.2	21.4	14.2	12.5	17.5	17.5
330	180	120	180	165	-	-	-	-	-	180	204
-	-	28	-	36	-	-	-	-	-	-	-
-	-	122 / 165	250	233	240	210	227 / 260	210 / 245	240 / 280	-	-
-	-	-	-	-	-	-	-	-	-	-	-
↑ 50   → 63	↑ 50   → 63	-	-	↑ 45   → 45	-	-	-	-	-	40	↑ 124   → 114
1436	1466	1096	1309	1353	1326	1286	1270	1270	1297	1468	1674
819	406	511	567	568	568	570	590	592	593	Ø 539	Ø 539
406	406	420	491	480	480	482	505	504	496	Ø 539	Ø 539
572	572	654	706	706	706	706	746	683	633	605	605
335 / 335	335 / 335	390	467	467	467	467	467	467	547	462	462
150	150	150	150	150	150	150	150	150	150	150	150
1270	1290	1087	1328	1300	1300	1300	1255	1255	1261	1326	1300
1113	1143	916	1161	1137	1137	1137	1091	1091	1070	1145	1551
100	100	100	100	100	100	100	100	100	100	100	100
126	156	158	276	272	272	272	271	110	97	115	114
202	202	204	208	305	305	306	-	370	346	269	269
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
-	-	-	-	✓ / -	-	-	✓	-	-	✓ / -	✓ / -
✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	-	-	✓	✓	✓	-	✓	✓	✓	✓
Z-43.12-320	Z-43.12-320	-	-	Z-43.12-397	Z-43.12-397	Z-43.12-397	-	Z-43.12-397	Z-43.12-397	Z-43.12-244	Z-43.12-244
✓	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ambiente a4 H <sub>2</sub> O	Passo XS	Passo XS style	Passo XS tripod	Passo S	Passo L
RLU	RLU	RLU		RLU	RLU
A+	A+	A+	A+	A+	A+
8.0	5.9	5.9	5.9	6.1	6.1
5.6 - 10.4	4.5 - 7.7	4.5 - 7.7	4.5 - 7.7	4.5 - 7.9	4.5 - 7.9
> 85	> 80	> 80	> 80	80	80
35 / 65	–	–	–	–	–
2.8 / 5.2	–	–	–	–	–
43	144	144	144	165	165
27	84	84	84	95	95
16	56	56	56	65	65
7.6	6.08	6.08	6.08	5.8	5.8
150	291	291	291	312	312
12	12	12	12	12	12
26.1	21.3	21.3	21.3	18.6	18.6
230	125	130	130	160	165
–	–	–	–	–	–
–	–	–	–	–	–
–	–	–	–	–	–
–	–	–	–	–	↑ 60   → 60
1674	1142	1220	1236	1436	1636
Ø 539	Ø 452	Ø 452	Ø 452	Ø 481	Ø 481
Ø 539	Ø 452	Ø 452	Ø 474	Ø 481	Ø 481
605	539	539	539	540	540
462	448	448	448	481	481
150	150	150	150	150	150
1694	1136	1235	1235	1298	1398
1551	958	1013	1053	1147	1247
100	100	100	–	100	100
291	171	225	–	142	242
207	226	226	–	241	241
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
–	✓ / –	–	–	✓ / –	✓ / –
–	–	–	–	–	✓
✓	✓	✓	✓	✓	✓
Hinged door	Hinged door	Hinged door	Hinged door	Hinged door	Hinged door
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	–	✓	✓
Z-43.12–244	Z-43.12–364	Z-43.12–364	–	Z-43.12–397	Z-43.12–397
✓	–	–	–	✓	✓
✓	✓	✓	✓	✓	✓





SEO S



SEO S leva



SEO L



SEO L leva

SEO



Senso S



Senso M H<sub>2</sub>O



Senso L



Senso L fashion



Senso L klassik

Senso



ambiente a3



ambiente a4



ambiente a4 H<sub>2</sub>O



ambiente a7



ambiente a8



ambiente a9

ambiente



Sino L



Sino City

Sino



Moro


Moro

# LIVING FIRE

by SPARTHERM®




## DESIGN **YOUR** **PERSONAL** FIRE **MOMENT.**



### **PRODUCT CONSULTANT**

#### **WHICH FIRE GOES BEST WITH YOUR LIFE?**

Find the stove that precisely meets your requirements  
in just a few steps!



[www.spartherm.com](http://www.spartherm.com)

# PRODUCT RANGE SPARTHERM




PREMIUM EDITION



HIGHLIGHTS



BLACK EDITION




FIREPLACE INSERTS



STOVES



COMPACT UNIT



TILED STOVES



FIREPLACE CASSETTES




OUTDOOR



COMPLETE FIREPLACES



SMALL STORAGE HEATERS



SMART FIREPLACE  
ASSISTANCE FUNCTIONS


SPARTHERM® – The fire of your life.



# LIVING FIRE

by SPARTHERM®

## SPECIALIST DEALER



[www.facebook.com/Spartherm](https://www.facebook.com/Spartherm)

[www.instagram.com/spartherm](https://www.instagram.com/spartherm)

[www.youtube.com/sparthermgermany](https://www.youtube.com/sparthermgermany)

[www.spartherm.com](https://www.spartherm.com)

